Safety Data Sheet

#1505A Page 1 of 7

SECTION 1: Product and company identification

Product name : Triple Threat Aero Selective

Use of the substance/mixture Aerosol

Herbicide

Product code : 1505A

Company : 1st Ayd Corporation

> 1325 Gateway Drive Elgin, IL 60124 - USA T 847-622-0001

Emergency number 800-255-3924

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification (GHS-US)

Compressed gas H280 Acute Tox. 4 (Oral) H302 Acute Tox. 3 (Inhalation:gas) H331 STOT SE 2 H371 Full text of H-phrases: see section 16

Label elements

GHS-US labeling

Hazard pictograms (GHS-US)





SDS Number: 8363



GHS08

GHS04

Hazard statements (GHS-US)

Signal word (GHS-US)

: Danger

Contains gas under pressure; may explode if heated

Harmful if swallowed Toxic if inhaled

May cause damage to organs (kidneys, liver)

Precautionary statements (GHS-US)

Do not breathe mist, spray, vapors Avoid breathing spray, mist, vapors

Wash thoroughly after handling

Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area

If swallowed: Call a POISON CENTER, a doctor if you feel unwell If inhaled: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER, a doctor

Specific treatment (see First aid measures on this label)

Rinse mouth

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Protect from sunlight. Store in a well-ventilated place

Dispose of contents/container to comply with local/regional/national/international regulations

Other hazards

Other hazards not contributing to the

classification

: Contains gas under pressure; may explode if heated.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

Substance

Not applicable

Full text of H-phrases: see section 16

Mixture

Date of issue: 9/23/2015 Revision date: 05/25/2015 Version: 1.0 P GHS SDS Page 1 of 7

Safety Data Sheet

Name	Product identifier	%	Classification (GHS-US)
butane	(CAS No) 106-97-8	1-5	Flam. Gas 1, H220 Compressed gas, H280
propane	(CAS No) 74-98-6	1-5	Flam. Gas 1, H220 Compressed gas, H280
Dimethylamine Salt of 2,4-Dichlorophenoxyacetic Acid	(CAS No) 2008-39-1	0.326	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 2, H373
MCPP DMA Salt	(CAS No) 66423-09-4	0.164	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318
2,4-DP DMA Salt	(CAS No) 104786-87-0	0.161	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332

SECTION 4: First aid measures

4.1.	Description	of first aid	measures

First-aid measures general

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect

themselves. If you feel unwell, seek medical advice (show the label where possible). First-aid measures after inhalation

Remove person to fresh air and keep comfortable for breathing. Artificial respiration and/or oxygen if

necessary. Call a POISON CENTER or doctor/physician.

First-aid measures after skin contact Take off contaminated clothing. Consult a doctor/medical service. Wash immediately with lots of

water (15 minutes)/shower.

First-aid measures after eye contact Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue

rinsing. Get medical advice/attention.

Get immediate medical advice/attention. Drink plenty of water. Do not induce vomiting without First-aid measures after ingestion

medical advice. Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Harmful if swallowed. May cause damage to organs through prolonged or repeated exposure. Toxic Symptoms/injuries

if inhaled.

Symptoms/injuries after inhalation Toxic if inhaled. Symptoms similar to those listed under ingestion. Headache. Dizziness.

Unconsciousness.

Symptoms/injuries after skin contact Contact during a long period may cause light irritation.

Symptoms/injuries after eye contact Direct contact with the eyes is likely irritating.

Symptoms/injuries after ingestion Harmful if swallowed. Nausea. Vomiting. Abdominal pain.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

Extinguishing media

Adapt extinguishing media to the environment. Dry chemical powder. Carbon dioxide. Foam. Water Suitable extinguishing media spray. Water fog.

Special hazards arising from the substance or mixture

Fire hazard Under fire conditions closed containers may rupture or explode.

Explosion hazard Contains gas under pressure; may explode if heated.

Reactivity Thermal decomposition may produce oxides of carbon and nitrogen, hydrogen chloride.

Advice for firefighters

Firefighting instructions Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter

environment. Take account of environmentally hazardous firefighting water.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Evacuate unnecessary personnel. Isolate from fire, if possible, without unnecessary risk. Stay General measures

upwind/keep distance from source.

6.1.1. For non-emergency personnel

Protective equipment : Do not enter without an appropriate protective equipment.

Emergency procedures : Advice local authorities if considered necessary.

Date of issue: 9/23/2015 Revision date: 05/25/2015 Version: 1.0 P GHS SDS Page 2 of 7

Safety Data Sheet

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Do not allow to enter drains or water courses. Absorb and/or contain spill with inert material, then place in suitable container.

6.3. Methods and material for containment and cleaning up

For containment : Dam up the liquid spill. Collect spillage.

Methods for cleaning up : Liquid spill: dam up with sand/earth. Carefully collect the spill/leftovers. Notify authorities if product

enters sewers or public waters.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed

Do not puncture, incinerate or crush.

Precautions for safe handling

Avoid contact with skin, eyes and clothing. Avoid breathing spray, mist, vapors. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. Clean contaminated clothing. Do not allow people (other than applicator) or pets on treatment area

during application. Do not enter treatment areas until spray has dried.

Hygiene measures

Always wash hands after handling the product. Wash contaminated clothing before reuse. Use good

personal hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Do not puncture, incinerate or crush.

Storage conditions

: Protect from freezing. Keep only in original container. Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from

sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

butane (106-97-8)			
ACGIH	ACGIH TWA (ppm)	1000 ppm	
ACGIH	ACGIH STEL (ppm)	1000 ppm	
propane (74-98-6)	,		
ACGIH	ACGIH TWA (ppm)	1000 ppm	
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	

8.2. Exposure controls

Appropriate engineering controls

: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal protective equipment

: Gloves. Protective clothing. Protective goggles. Use appropriate personal protective equipment when risk assessment indicates this is necessary.







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquic

Appearance : Aerosol. Foam.

Odor : No data available on odor

Odor threshold : No data available

pH : 9 - 10

Date of issue: 9/23/2015 Revision date: 05/25/2015 Version: 1.0 P GHS SDS Page 3 of 7

Safety Data Sheet

Melting point : No data available
Freezing point : No data available
Boiling point : No data available

Flash point : No flame extension with method ASTM D3065-72

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available Explosion limits : No data available Explosive properties : No data available Oxidizing properties : No data available Vapor pressure : No data available Relative density No data available Relative vapor density at 20 °C : No data available Specific gravity / density : 1.008 g/ml Solubility : Soluble in water. Log Pow No data available Log Kow : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available

VOC content : 5 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition may produce oxides of carbon and nitrogen. hydrogen chloride.

10.2. Chemical stability

The product is stable at normal handling- and storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization does not occur.

10.4. Conditions to avoid

Heat. Open flame.

10.5. Incompatible materials

Strong oxidizing agents. alkalis. acids.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. HCl. Nitrogen oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed. Inhalation:gas: Toxic if inhaled.

2,4-DP DMA Salt (104786-87-0)		
LD50 oral rat	567 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
MCPP DMA Salt (66423-09-4)		
LD50 oral rat	500 - 2000 mg/kg	
Skin corrosion/irritation	: Not classified	
	pH: 9 - 10	
Serious eye damage/irritation	: Not classified	

pH: 9 - 10
Respiratory or skin sensitization : Not classified.
Germ cell mutagenicity : Not classified

Date of issue: 9/23/2015 Revision date: 05/25/2015 Version: 1.0 P GHS SDS Page 4 of 7

#1505A Page 5 of 7

Triple Threat Aero Selective

Safety Data Sheet

Carcinogenicity : Not classified Reproductive toxicity Not classified

Specific target organ toxicity (single exposure) May cause damage to organs (kidneys, liver).

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Symptoms/injuries after inhalation Toxic if inhaled. Symptoms similar to those listed under ingestion. Headache. Dizziness.

Unconsciousness.

Symptoms/injuries after skin contact : Contact during a long period may cause light irritation.

Symptoms/injuries after eye contact Direct contact with the eyes is likely irritating.

Symptoms/injuries after ingestion : Harmful if swallowed. Nausea. Vomiting. Abdominal pain.

Likely routes of exposure : Skin and eyes contact.;Inhalation;Ingestion.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods Do not puncture, incinerate or crush. Waste disposal recommendations Do not pierce or burn, even after use. Additional information Do not re-use empty containers.

SECTION 14: Transport information

Department of Transportation (DOT)

Transport document description : UN1950 Aerosols (non-flammable, (each not exceeding 1 L capacity)), 2.2

UN-No.(DOT) : UN1950 Proper Shipping Name (DOT) : Aerosols

non-flammable, (each not exceeding 1 L capacity)

Transport hazard class(es) (DOT) : 2.2 - Class 2.2 - Non-flammable compressed gas 49 CFR 173.115

Hazard labels (DOT) : 2.2 - Non-flammable gas



DOT Packaging Non Bulk (49 CFR 173.xxx) : None DOT Packaging Bulk (49 CFR 173.xxx) : None

DOT Special Provisions (49 CFR 172.102)

DOT Packaging Exceptions (49 CFR

173.xxx)

: 306

DOT Quantity Limitations Passenger

aircraft/rail (49 CFR 173.27)

: 75 kg

DOT Quantity Limitations Cargo aircraft

: 150 kg

only (49 CFR 175.75)

: A

DOT Vessel Stowage Location

DOT Vessel Stowage Other

25 - Shade from radiant heat,87 - Stow "separated from" Class 1 (explosives) except Division

14,126 - Segregation same as for Class 9, miscellaneous hazardous materials

Date of issue: 9/23/2015 Revision date: 05/25/2015 Version: 1.0 P GHS SDS Page 5 of 7

Safety Data Sheet

Additional information

Other information : This product may be eligible to be shipped as a Limited Quantity or Consumer Commodity ORM-D

utilizing the exception found at 49 CFR 173.150.

ADR

No additional information available

Transport by sea

UN-No. (IMDG) : UN1950

Proper Shipping Name (IMDG) : Aerosols, Non-flammable

Class (IMDG) : 2.2 - Non-flammable, non-toxic gases

Air transport

UN-No.(IATA) : UN1950

Proper Shipping Name (IATA) : Aerosols, non-flammable

Class (IATA) : 2.2 - Gases : Non-flammable, non-toxic

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

butane (106-97-8)

Not listed on SARA Section 313 (Specific toxic chemical listings)

propane (74-98-6)

Not listed on SARA Section 313 (Specific toxic chemical listings)

California Proposition 65 - This product does not contain a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

CAUTION. Harmful if swallowed. Harmful if absorbed through skin. Harmful if inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist or vapor. Wear long-sleeved shirt, long pants, shoes, socks and chemical-resistant gloves made of any waterproof material.

SECTION 16: Other information

Training advice

: Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

Acute Tox. 3 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhalation) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Compressed gas	Gases under pressure Compressed gas
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Gas 1	Flammable gases Category 1
Skin Irrit. 2	Skin corrosion/irritation Category 2
Skin Sens. 1	Skin sensitization Category 1
STOT RE 2	Specific target organ toxicity (repeated exposure) Category 2
STOT SE 2	Specific target organ toxicity (single exposure) Category 2
H220	Extremely flammable gas
H280	Contains gas under pressure; may explode if heated
H302	Harmful if swallowed

#1505A Page 7 of 7


Safety Data Sheet

-	
H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H331	Toxic if inhaled
H332	Harmful if inhaled
H371	May cause damage to organs
H373	May cause damage to organs through prolonged or repeated exposure

NFPA health hazard : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

NFPA fire hazard : 2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

Date of issue: 9/23/2015 Revision date: 05/25/2015 Version: 1.0 P GHS SDS Page 7 of 7