## Safety Data Sheet

## **SECTION 1: Product and company identification**

Vacate RTU Non-Selective

Use of the substance/mixture Herbicide

Industrial use Product code 1515-

1st Ayd Corporation Company

1325 Gateway Drive Elgin, IL 60124 - USA T 847-622-0001

Emergency number 800-255-3924

## **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

#### Classification (GHS-US)

Flam. Liq. 4 H227 Eye Irrit. 2A H319 Asp. Tox. 1 H304

Full text of H-phrases: see section 16

#### 2.2. Label elements

#### **GHS-US** labeling

Hazard pictograms (GHS-US)





GHS07

GHS08

Signal word (GHS-US) Danger

Hazard statements (GHS-US) Combustible liquid

May be fatal if swallowed and enters airways

Causes serious eye irritation

Precautionary statements (GHS-US) Keep away from heat, open flames, sparks. - No smoking

Wash thoroughly after handling

Wear protective clothing, eye protection, protective gloves If swallowed: Immediately call a doctor, a POISON CENTER

SDS Number: 0314

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

Do NOT induce vomiting

If eye irritation persists: Get medical advice/attention

In case of fire: Use ABC-powder, alcohol resistant foam, carbon dioxide (CO2) to extinguish Store in a well-ventilated place. Keep cool

Store locked up

Dispose of contents/container to comply with local/regional/national regulations

#### Other hazards

No additional information available

## Unknown acute toxicity (GHS US)

## **SECTION 3: Composition/information on ingredients**

### Substance

Not applicable

Full text of H-phrases: see section 16

#### Mixture

| L. | O.B. HILACOTO   |                     |          |   |  |
|----|---|---------------------|----------|---|--|
|    | Name  | Product identifier  | %        | Classification (GHS-US)                 |  |
|    | hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics | (CAS No) 64742-47-8 | 60 - 100 | Flam. Liq. 4, H227<br>Asp. Tox. 1, H304 |  |
|    | Alkanes, C14-16   | (CAS No) 90622-46-1 | 10- 30   | Asp. Tox. 1, H304                       |  |

Date of issue: 5/26/2015 P GHS SDS Revision date: 05/19/2015 Version: 1.0 Page 1 of 7

#### #1515

## **Vacate RTU Non-Selective**

Safety Data Sheet

| Name   | Product identifier | %         | Classification (GHS-US)   |
|--|--------------------|-----------|---|
| 2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether | (CAS No) 112-34-5  | 10- 30    | Eye Irrit. 2A, H319   |
| 2-ethylhexyl 2,4-dichlorophenoxyacetate                      | (CAS No) 1928-43-4 | 0.5 - 1.5 | Acute Tox. 4 (Oral), H302   |
| Glycol Ether EB  | (CAS No) 111-76-2  | 0.1 - 1.0 | Flam. Liq. 4, H227<br>Acute Tox. 4 (Oral), H302<br>Skin Irrit. 2, H315<br>Eye Irrit. 2A, H319<br>STOT RE 2, H373<br>Asp. Tox. 1, H304 |

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible)

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : Take off immediately all contaminated clothing and wash it before reuse. Wash skin with plenty of

water, Soap may be used. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : If you feel unwell, seek medical advice.

Symptoms/injuries after inhalation : Irritation of the respiratory tract.

Symptoms/injuries after skin contact : Irritation. Repeated exposure may cause skin dryness or cracking.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : ABC powder. Alcohol-resistant foam. Carbon dioxide

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Special hazards arising from the substance or mixture

Reactivity : On burning: release of toxic and corrosive gases/vapours (nitrous vapours, sulphur oxides, carbon monoxide - carbon dioxide). If the product is involved in a fire, it can release toxic chlorine gases.

Reacts violently with (strong) oxidizers.

#### 5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Take account of

environmentally hazardous firefighting water.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures : No flames, No sparks. Eliminate all sources of ignition.

## 6.1.1. For non-emergency personnel

Protective equipment : Protective goggles. Gloves. Protective clothing.

Emergency procedures : Evacuate unnecessary personnel. No naked flames or sparks.

## 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

## 6.2. Environmental precautions

No additional information available

Date of issue: 5/26/2015 Revision date: 05/19/2015 Version: 1.0 P GHS SDS Page 2 of 7

## Safety Data Sheet

#### 6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers.

Methods for cleaning up

: This material and its container must be disposed of in a safe way, and as per local legislation. Take up liquid spill into inert absorbent material, e.g.: sand/earth. Clean contaminated surfaces with a

soap solution.

#### 6.4. Reference to other sections

No additional information available

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read and

understood. Do not breathe vapors. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Handle and open the container with care. Keep away from sources of ignition - No smoking. Take precautions against electrostatic charges. Obtain special instructions before use. Remove contaminated clothing

immediately.

Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be

followed

Storage conditions : Keep container tightly closed. Keep only in the original container in a cool, well ventilated place away

from: sparks, open flames, excessive heat.

Incompatible products : Oxidizing agent.
Incompatible materials : Sources of ignition.

Storage area : Store away from heat. Store in a cool area. Store in a dry area. Store in a well-ventilated place. Keep

locked up.

Special rules on packaging : Keep only in original container, meet the legal requirements.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

## 8.2. Exposure controls

Personal protective equipment

Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Protective clothing. Protective goggles. Safety glasses.







#### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Colorless to yellow brown oily liquid.

Odor
Odor threshold : Hydrocarbon odor
Odor threshold : No data available
pH : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : No data available
Flash point : > 210 °F

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available Explosion limits : No data available

Explosive properties : No data available
Oxidizing properties : No data available

 Date of issue: 5/26/2015
 Revision date: 05/19/2015
 Version: 1.0
 P GHS SDS
 Page 3 of 7

#### #1515

Safety Data Sheet

Vapor pressure : No data available Relative density : No data available Relative vapor density at 20 °C : No data available

Specific gravity / density : 0.84 g/ml

Solubility : Insoluble in water.
Log Pow : No data available
Log Kow : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available

Viscosity, kinematic : < 20 cSt

Viscosity, dynamic : No data available

VOC content : < 3%

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

On burning: release of toxic and corrosive gases/vapours (nitrous vapours, sulphur oxides, carbon monoxide - carbon dioxide). If the product is involved in a fire, it can release toxic chlorine gases. Reacts violently with (strong) oxidizers.

#### 10.2. Chemical stability

Combustible liquid. Stable under normal conditions. Risk of explosion if heated under confinement. Heating may cause a fire or explosion.

#### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

#### 10.4. Conditions to avoid

Refer to Section 10 on Incompatible Materials. Open flame. Overheating. Sparks.

## 10.5. Incompatible materials

Oxidizing agents.

### 10.6. Hazardous decomposition products

Thermal decomposition produces: CO, CO2, Oxides of nitrogen and other potentially toxic fumes.

### **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity : Not classified

| 2-ethylhexyl 2,4-dichlorophenoxyacetate (1928-43-4)                                |   |  |  |
|--|---|--|--|
| LD50 oral rat  | 896 mg/kg (Rat)                               |  |  |
| LD50 dermal rabbit   | > 2000 mg/kg (Rabbit)                         |  |  |
| LC50 inhalation rat (mg/l)   | > 5.4 mg/l/4h (Rat)                           |  |  |
| hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8) |   |  |  |
| LD50 dermal rabbit   | > 5000 mg/kg body weight (Rabbit; Literature) |  |  |
| Alkanes, C14-16 (90622-46-1)   | Alkanes, C14-16 (90622-46-1)                  |  |  |
| LD50 oral rat  | > 2000 mg/kg                                  |  |  |
| LD50 dermal rabbit   | > 2000 mg/kg                                  |  |  |
| LC50 inhalation rat (mg/l)   | > 5.8 mg/l/4h                                 |  |  |
| Glycol Ether EB (111-76-2)   |   |  |  |
| LD50 oral rat  | 1300 mg/kg                                    |  |  |
| LD50 dermal rat  | > 2000 mg/kg                                  |  |  |
| ATE CLP (oral)   | 1300.000 mg/kg body weight                    |  |  |
| ATE CLP (dermal)   | 1100.000 mg/kg body weight                    |  |  |
| ATE CLP (dust, mist)   | 1.500 mg/l/4h                                 |  |  |

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : Not classified

Date of issue: 5/26/2015 Revision date: 05/19/2015 Version: 1.0 P GHS SDS Page 4 of 7

## #1515

Safety Data Sheet

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Glycol Ether EB (111-76-2)

IARC group 3 - Not Classifiable

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified

exposure)

Glycol Ether EB (111-76-2)

LOAEL (oral,rat,90 days) 69 mg/kg bodyweight/day Target organ: liver

NOAEL (dermal,rat/rabbit,90 days) 150 mg/kg bodyweight/day

Aspiration hazard : May be fatal if swallowed and enters airways.

Symptoms/injuries after inhalation : Irritation of the respiratory tract.

Symptoms/injuries after skin contact : Irritation. Repeated exposure may cause skin dryness or cracking. May cause an allergic skin

reaction.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways.

### **SECTION 12: Ecological information**

## 12.1. Toxicity

| 2-ethylhexyl 2,4-dichlorophenoxyacetate (1928-43-4)                                |   |  |
|--|---|--|
| LC50 fish 1  | 7.2 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)      |  |
| EC50 Daphnia 1   | 5.2 mg/l (48 h; Daphnia magna; Pure water)                |  |
| EC50 other aquatic organisms 1   | > 30 mg/l (120 h; Selenastrum capricornutum; Growth rate) |  |
| EC50 Daphnia 2   | 1.35 mg/l (504 h)   |  |
| Threshold limit algae 1  | 15 mg/l (120 h; Selenastrum capricornutum; Growth rate)   |  |
| Threshold limit algae 2  | 0.1875 mg/l (120 h; Skeletonema costatum; Cell numbers)   |  |
| hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8) |   |  |
| LC50 fish 1  | > 100 mg/l (Pisces)                                       |  |
| EC50 Daphnia 1   | > 100 mg/l (Invertebrata)                                 |  |
| Threshold limit algae 1  | > 100 mg/l (Algae)  |  |
| Glycol Ether EB (111-76-2)   |   |  |
| LC50 fish 1  | 1474 mg/l Oncorhynchus mykiss                             |  |
| EC50 Daphnia 1   | 100 mg/l Water flea                                       |  |
| ErC50 (algae)  | 1840 mg/l Pseudokirchneriella subcapitata                 |  |
| NOEC chronic fish  | > 100 mg/l  |  |
| NOEC chronic crustacea   | 100 mg/l daphnid  |  |

## 12.2. Persistence and degradability

| hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8) |  |  |
|--|--|--|
| Persistence and degradability  | Readily biodegradable in water. Adsorbs into the soil. |  |

#### 12.3. Bioaccumulative potential

| 2-ethylhexyl 2,4-dichlorophenoxyacetate (1928-43-4)  Log Pow 5.78 (Experimental value) |  |  |
|--|--|--|
|  |  |  |
| hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)     |  |  |
| Log Pow 6 - 8.2  |  |  |
| Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5).            |  |  |

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container to comply with local/regional/national/international regulations.

Waste disposal recommendations : Dispose of contents/container to comply with local/regional/national regulations.

 Date of issue: 5/26/2015
 Revision date: 05/19/2015
 Version: 1.0
 P GHS SDS
 Page 5 of 7

#### #1515

Safety Data Sheet

## **SECTION 14: Transport information**

Department of Transportation (DOT)

In accordance with DOT: Not regulated for transport

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

### **SECTION 15: Regulatory information**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

| 2-ethylhexyl 2,4-dichlorophenoxyacetate                      | CAS No 1928-43-4 | 0.5 - 1.5 |
|--|------------------|-----------|
| 2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether | CAS No 112-34-5  | 10- 30    |

| 2-ethylhexyl 2,4-dichlorophenoxyacetate (1928-43-4)           |  |  |
|---|--|--|
| Listed on SARA Section 313 (Specific toxic chemical listings) |  |  |
|   |  |  |

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labelling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: Harmful if swallowed. Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing.

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

## **SECTION 16: Other information**

Training advice

: Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4                              |
|---------------------|---|
| Asp. Tox. 1         | Aspiration hazard Category 1                                  |
| Eye Irrit. 2A       | Serious eye damage/eye irritation Category 2A                 |
| Flam. Liq. 4        | Flammable liquids Category 4                                  |
| Skin Irrit. 2       | Skin corrosion/irritation Category 2                          |
| STOT RE 2           | Specific target organ toxicity (repeated exposure) Category 2 |
| H227                | Combustible liquid  |
| H302                | Harmful if swallowed  |
| H304                | May be fatal if swallowed and enters airways                  |
| H315                | Causes skin irritation  |
| H319                | Causes serious eye irritation                                 |
| H373                | May cause damage to organs through prolonged or repeated      |
|                     | exposure  |

 Date of issue: 5/26/2015
 Revision date: 05/19/2015
 Version: 1.0
 P GHS SDS
 Page 6 of 7

## #1515


Safety Data Sheet

NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury

unless prompt medical attention is given.

NFPA fire hazard : 1 - Must be preheated before ignition can occur.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



#### Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.