

# **#966 Safety Data Sheet**

Issue Date: 22-Oct-2003

Revision Date: 05-16-2015

Version 1

# **1. IDENTIFICATION**

Product Identifier **Product Name #966 Super Solvent Steam Cleaner** Other means of identification SDS # #966 **Product Code** #966 **UN/ID No** UN1760 Recommended use of the chemical and restrictions on use **Recommended Use** Cleaning Agent. Details of the supplier of the safety data sheet Distributor 1st Ayd Corporation 1325 Gateway Drive Elgin, IL 60124 Emergency Telephone Number **Company Phone Number** (847) 622-0001 Emergency Telephone (24 hr) Chem Tel: 1-800-255-3924 2. HAZARDS IDENTIFICATION Appearance Blue liquid Physical State Liquid **Classification** 

### Signal Word Danger

# **Hazard Statements**

Causes severe skin burns and eye damage



**Precautionary Statements - Prevention** Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Odor Slight odor

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

### Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse If skin irritation persists: Get medical advice/attention IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a poison center or doctor/physician IF SWALLOWED: Rinse mouth. Do NOT induce vomiting Immediately call a poison center or doctor/physician

# Precautionary Statements - Storage

Store locked up

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Other Hazards

**First Aid Measures** 

Harmful to aquatic life with long lasting effects

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Sodium hydroxide	1310-73-2	<6
Glycol ether TPM	25498-49-1	<5
D-Sodium Silicate Solution	1344-09-8	>1

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# **4. FIRST-AID MEASURES**

Thist Ald Medsules		
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.	
Skin Contact	Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If irritation persists, seek medical attention.	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Immediately call a poison center or doctor/physician.	
Ingestion	Do not induce vomiting. Give large quantities of water. If available, give several glasses of milk or acidic beverages (tomato or orange juice, carbonated soft drinks). Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Seek medical attention immediately.	
Most important symptoms and effe	<u>cts</u>	
Symptoms	Causes severe skin burns and eye damage. Ingestion can cause severe burns and complete tissue perforation of mucous membranes of the mouth, throat, esophagus, and stomach if swallowed. Inhalation of low concentrations may cause mild irritation to eyes, nose, and throat. High concentrations may result in headache, drowsiness, and central nervous system depression.	
Indication of any immediate medica	I attention and special treatment needed	
Notes to Physician	Treat symptomatically.	

# **5. FIRE-FIGHTING MEASURES**

### Suitable Extinguishing Media

Water spray (fog). Carbon dioxide (CO2). Dry chemical. Alcohol foam.

# Unsuitable Extinguishing Media Not determined.

# Specific Hazards Arising from the Chemical

Product is not flammable.

### Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2).

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protection recommended in Section 8.	
Environmental Precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.	

# Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.	
Methods for Clean-Up	Contain and collect with an inert absorbent and place into an appropriate container for disposal. Flush spill area with water to reduce slipping hazards.	

# 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on Safe Handling Avoid contact with skin, eyes or clothing. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Wash face, hands, and any exposed skin thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. Keep containers closed when not in use. For industrial or professional use only.

### Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up.
Incompatible Materials	Strong oxidizers. Ketones. Nitric acid. Sulfuric acid. Halogens. Halogen compounds.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
1310-73-2	-	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

### Appropriate engineering controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas. Eyewash stations. Showers.

### Individual protection measures, such as personal protective equipment

Eye/Face Protection	Safety glasses.
Skin and Body Protection	Rubber gloves.
Respiratory Protection	No protection is ordinarily required under normal conditions of use and with adequate ventilation.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical State	Liquid		
Appearance	Blue liquid	Odor	Slight odor
Color	Blue	Odor Threshold	Not determined
Property_	<u>Values</u>	Remarks · Method	
рН	12.5 (as received)		
Melting Point/Freezing Point	0 °C / 32 °F		
Boiling Point/Boiling Range	100 °F / 212 °F		
Flash Point	None established		
Evaporation Rate	<1	(butyl acetate = 1)	
Flammability (Solid, Gas)	Liquid-Not applicable		
Upper Flammability Limits	None established		
Lower Flammability Limit	None established		
Vapor Pressure	None established		
Vapor Density	None established		
Specific Gravity	1.02	(Water = 1)	
Water Solubility	Completely soluble		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Auto-ignition Temperature	Not determined		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		
Dynamic Viscosity	Not determined		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		

# **10. STABILITY AND REACTIVITY**

### Reactivity

Not reactive under normal conditions.

### **Chemical Stability**

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

# Conditions to Avoid

Keep separated from incompatible substances. Keep out of reach of children.

### Incompatible Materials

Strong oxidizers. Ketones. Nitric acid. Sulfuric acid. Halogens. Halogen compounds.

### **Hazardous Decomposition Products**

Carbon monoxide. Carbon dioxide (CO2).

# **11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

#### **Product Information**

Eye Contact	Causes severe eye damage.
Skin Contact	Causes severe skin burns.
Inhalation	Avoid breathing vapors or mists.
Ingestion	Do not ingest.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-
Glycol ether TPM 25498-49-1	= 3184 mg/kg (Rat)	= 15440 mg/kg (Rabbit)	-
D-Sodium Silicate Solution 1344-09-8	= 1153 mg/kg (Rat)	> 4640 mg/kg (Rabbit)	-

# Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

### Numerical measures of toxicity

Not determined

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

### Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium hydroxide 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		
Glycol ether TPM 25498-49-1		11619: 96 h Pimephales promelas mg/L LC50 static		10: 48 h Daphnia magna mg/L EC50
D-Sodium Silicate Solution 1344-09-8		301 - 478: 96 h Lepomis macrochirus mg/L LC50 3185: 96 h Brachydanio rerio		216: 96 h Daphnia magna mg/L EC50
		mg/L LC50 semi-static		

# Persistence/Degradability

Not determined.

### **Bioaccumulation**

Not determined.

### <u>Mobility</u>

Not determined

# **Other Adverse Effects**

Not determined

# **13. DISPOSAL CONSIDERATIONS**

### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

# California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Sodium hydroxide	Toxic
1310-73-2	Corrosive

# 14. TRANSPORT INFORMATION

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
<u>DOT</u> UN/ID No Proper Shipping Name Hazard Class Packing Group	UN1760 Corrosive liquid, n.o.s. (Sodium hydroxide, Sodium silicate) 8 II
<u>IATA</u> UN/ID No Proper Shipping Name Hazard Class Packing Group	UN1760 Corrosive liquid, n.o.s. (Sodium hydroxide, Sodium silicate) 8 II
IMDG UN/ID No Proper Shipping Name Hazard Class Packing Group Marine Pollutant	UN1760 Corrosive liquid, n.o.s. (Sodium hydroxide, Sodium silicate) 8 II This material may meet the definition of a marine pollutant

# **15. REGULATORY INFORMATION**

### International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Sodium hydroxide	Present	Х		Present		Present	Х	Present	Х	Х
Glycol ether TPM	Present	Х		Present		Present	Х	Present	Х	Х
D-Sodium Silicate Solution	Present	Х		Present		Present	Х	Present	Х	Х

#### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### US Federal Regulations

### **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide	1000 lb		RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

# <u>SARA 313</u>

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Glycol ether TPM - 25498-49-1	25498-49-1	<5	1.0

### CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium hydroxide	1000 lb			Х

### US State Regulations

# California Proposition 65

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium hydroxide 1310-73-2	Х	X	Х
Glycol ether TPM 25498-49-1	Х		Х

# **16. OTHER INFORMATION**

<u>NFPA</u> HMIS	<b>Health Hazards</b> 2 <b>Health Hazards</b> Not determined	Flammability 0 Flammability Not determined	<b>Instability</b> 2 <b>Physical Hazards</b> Not determined	Special Hazards Not determined Personal Protection Not determined
Issue Date: Revision Date:	22-Oct-2 05-16-2			

New format

**Disclaimer** 

**Revision Note:** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**