

Version 1.2	Revision Date: 03/19/2015	MSDS Numb 36329-00003			
SECTION	N 1. IDENTIFICATION				
Proc	luct name	: PURELL@	Sanitizing Wipes		
Man	ufacturer or supplier's	details			
Corr	pany name of supplier	: GOJO Ind	dustries, Inc.		
Add	ress		One GOJO Plaza, Suite 500 Akron OH 44311		
Tele	phone	: 1 (330) 2	55-6000		
Eme	ergency telephone	: 1-800-424	4-9300 CHEMTREC		
Rec	ommended use of the	chemical and r	restrictions on use		
	ommended use		Human hygiene biocidal products		
Res	trictions on use	consume foreseeat specifical exempt fr While this contains proper us as well as spills. Thi employee intended-	personal care or cosmetic product that is safe for rs and other users under normal and reasonably oble use. Cosmetics and consumer products, ly defined by regulations around the world, are rom the requirement of an SDS for the consumer. Is material is not considered hazardous, this SDS valuable information critical to the safe handling and se of the product for industrial workplace conditions is unusual and unintended exposures such as large is SDS should be retained and available for es and other users of this product. For specific use guidance, please refer to the information on the package or instruction sheet.		

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Eye irritation	: Category 2A
GHS Label element Hazard pictograms	
Signal Word	: Warning
Hazard Statements	: H319 Causes serious eye irritation.
Precautionary Statements	 Prevention: P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.



Version 1.2	Revision Date: 03/19/2015	MSDS Number: 36329-00003	Date of last issu Date of first issu		
		for several min to do. Continue	utes. Remove conta e rinsing.	Rinse cautiously with water ct lenses, if present and easy ts: Get medical advice/	
	r hazards e known.				
SECTION	3. COMPOSITION/IN	FORMATION ON ING	REDIENTS		
Subs	tance / Mixture	: Mixture			
	rdous ingredients				
	nical Name		CAS-No.	Concentration (%)	
Benz	alkonium chloride		8001-54-5	>= 0.1 - < 1	
Gene	eral advice	advice immedi	ately.	l unwell, seek medical ses of doubt seek medical	
lf inh	aled	: If inhaled, remo Get medical at	ove to fresh air. tention if symptoms	occur.	
In ca	se of skin contact		er and soap as a pre tention if symptoms		
In ca	se of eye contact	for at least 15 i If easy to do, re	 In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention. 		
lf swa	allowed	Get medical at	OO NOT induce vomi tention if symptoms horoughly with water	occur.	
	important symptoms effects, both acute and red	: Causes serious	: Causes serious eye irritation.		

SECTION 5. FIRE-FIGHTING MEASURES



Vers 1.2	sion	Revision Date: 03/19/2015		SDS Number: 329-00003	Date of last issue: 02/10/2015 Date of first issue: 12/11/2014
Suitable extinguishing media		:	: Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)		
	Unsuita media	ble extinguishing	:	None known.	
Specific hazards during fire fighting		:	Exposure to com	oustion products may be a hazard to health.	
Hazardous combustion prod- ucts		:	: No hazardous combustion products are known		
Specific extinguishing methods		:	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to so. Evacuate area.		
	Special for fire-	protective equipment fighters	:	In the event of fire Use personal prot	e, wear self-contained breathing apparatus. ective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE



Version 1.2	Revision Date: 03/19/2015	MSDS Number: 36329-00003	Date of last issue: 02/10/2015 Date of first issue: 12/11/2014	
Tec	hnical measures	•	ing measures under EXPOSURE PERSONAL PROTECTION section.	
Loca	al/Total ventilation	: Use only with	adequate ventilation.	
Advice on safe handling		Do not swallov Do not get in e Avoid prolong Handle in acco practice.	Take care to prevent spills, waste and minimize release to the	
Con	ditions for safe storage		rly labeled containers. dance with the particular national regulations.	
Mat	erials to avoid	: Do not store w Strong oxidizir	<i>v</i> ith the following product types: ng agents	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

nazardous components without workplace control parameters					
Ingredients	CAS-No.				
Benzalkonium chloride	8001-54-5				
Engineering measures	Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.				
Personal protective equipmen	t				
Respiratory protection	No personal respiratory protective equipment normally required.				
Hand protection					
Material	Impervious gloves				
Remarks	Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.				
Eye protection	Wear the following personal protective equipment: Safety goggles				
Skin and body protection	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure				



ersion .2	Revision Date: 03/19/2015	MSDS Number: 36329-00003	Date of last issue: 02/10/2015 Date of first issue: 12/11/2014			
			ust be avoided by using impervious protective s, aprons, boots, etc).			
Hygiene measures		 Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. 				
ECTION	9. PHYSICAL AND CH		IES			
Appea	arance	: liquid				
Color		: clear, Colorles	s to pale yellow			
Odor		: citrus				
Odor	Threshold	: No data availa	ble			
рН		: 5.5 - 8.5				
Meltin	ng point/freezing point	: No data availa	ble			
Initial range	boiling point and boiling	: 99 °C				
Flash	point	: >100 °C				
Evapo	oration rate	: No data availa	ble			
Flamr	mability (solid, gas)	: Not applicable				
Upper	r explosion limit	: No data availa	ble			
Lower	r explosion limit	: No data availa	ble			
Vapor	r pressure	: No data availa	ble			
Relati	ve vapor density	: No data availa	ble			
Densi	ty	: 1.0 g/cm3				
	ility(ies) ater solubility	: soluble				
	ion coefficient: n- ol/water	: Not applicable				
Autoig	gnition temperature	: No data availa	ble			
Decor	mposition temperature	: The substance or mixture is not classified self-reactive.				
Visco	sity					



Version 1.2	Revision Date: 03/19/2015	MSDS Number: 36329-00003	Date of last issue: 02/10/2015 Date of first issue: 12/11/2014	
Vis	cosity, kinematic	: 75 mm2/s (25 °	C)	
Explosive properties		: Not explosive		
Oxidizing properties		: The substance or mixture is not classified as oxidizing.		

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reac- tions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely route Inhalation Skin contact Ingestion Eye contact	es of exposure
Acute toxicity	
Not classified based on ava	ilable information.
Product:	
Acute inhalation toxicity	 Acute toxicity estimate: > 10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Ingredients:	
Benzalkonium chloride: Acute oral toxicity	: LD50 (Rat): 344 mg/kg Remarks: Based on data from similar materials
Acute inhalation toxicity	 LC50 (Rat): 0.25 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Remarks: Based on data from similar materials



ersion 2	Revision Date: 03/19/2015	MSDS Number: 36329-00003	Date of last issue: 02/10/2015 Date of first issue: 12/11/2014
Acute	e dermal toxicity	: LD50 (Rabbit): : Remarks: Base	3,412 mg/kg d on data from similar materials
-	corrosion/irritation lassified based on ava	ailable information.	
<u>Prod</u> Resu	uct: lt: No skin irritation		
Ingre	dients:		
Benz Speci Resu	alkonium chloride: ies: Rabbit	inutes to 1 hour of expo om similar materials	osure
Serio	ous eye damage/eye	irritation	
	es serious eye irritatio		
<u>Prod</u> Resu		versing within 21 days	
Speci Resu	alkonium chloride: ies: Rabbit lt: Irreversible effects arks: Based on data fr		
Skin s		tization sified based on availab lot classified based on a	
Prod	-		
Benz Test Route Speci Metho Resu	dients: alkonium chloride: Type: Buehler Test es of exposure: Skin c ies: Guinea pig od: OECD Test Guide It: negative arks: Based on data fr	line 406	
	n cell mutagenicity		
	lassified based on ava	ailable information.	
Benz	dients: alkonium chloride: toxicity in vitro		erial reverse mutation assay (AMES) Test Guideline 471
		7 / 12	



ersion .2	Revision Date: 03/19/2015	MSDS Number: 36329-00003	Date of last issue: 02/10/2015 Date of first issue: 12/11/2014		
		Remarks: Ba	used on data from similar materials		
Genotoxicity in vivo		cytogenetic a Species: Mo Application F Method: OE0 Result: nega	 Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials 		
	nogenicity assified based on availa	able information.			
	dients:				
Benza Speci Applic Expos Metho Resul	alkonium chloride: es: Rat cation Route: Ingestion sure time: 2 Years od: OECD Test Guidelin It: negative arks: Based on data from				
IARC	;		f this product present at levels greater than or s identified as probable, possible or confirmed gen by IARC.		
OSH	A		f this product present at levels greater than or s identified as a carcinogen or potential carcino-		
NTP			f this product present at levels greater than or s identified as a known or anticipated carcinogen		
•	oductive toxicity assified based on availa	able information			
	<u>dients:</u> alkonium chloride:				
-	is on fertility	Species: Rat Application F Method: OE0 Result: nega	Route: Ingestion CD Test Guideline 416		
Effect	s on fetal development	Species: Ral Application F Method: OE0 Result: nega	Route: Ingestion CD Test Guideline 414		



Date of last issue: 02/10/2015 Date of first issue: 12/11/2014

PURELL® Sanitizing Wipes

Version	Revision Date:	MSDS Number:
1.2	03/19/2015	36329-00003

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Ingredients:

Benzalkonium chloride: Species: Dog NOAEL: 50 mg/kg Application Route: Ingestion Exposure time: 13 w Method: OECD Test Guideline 409 Remarks: Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

<u>Ingredients:</u> Benzalkonium chloride:		
Toxicity to fish	 LC50 (Oncorhynchus mykiss (rainbow trout)): 0.85 mg/l Exposure time: 96 h Remarks: Based on data from similar materials 	
Toxicity to daphnia and other aquatic invertebrates	 EC50 (Daphnia magna (Water flea)): 0.016 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials 	
Toxicity to algae	 EC50 (Pseudokirchneriella subcapitata (green algae)): 0.049 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials 	
	EC10 (Pseudokirchneriella subcapitata (green algae)): 0.009 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials	
M-Factor (Acute aquatic tox- icity)	: 10	
Toxicity to fish (Chronic toxicity)	 NOEC (Pimephales promelas (fathead minnow)): > 32.2 mg/ Exposure time: 34 d Remarks: Based on data from similar materials 	I



ersion 2	Revision Date: 03/19/2015		SDS Number: 329-00003	Date of last issue: 02/10/2015 Date of first issue: 12/11/2014
aqua	ity to daphnia and other tic invertebrates onic toxicity)	:	Exposure time: 2 Method: OECD T	magna (Water flea)): 0.0125 mg/l 1 d est Guideline 211 on data from similar materials
M-Fa toxici	ctor (Chronic aquatic ty)	:	1	
Toxic	ity to bacteria	:		h œst Guideline 209 on data from similar materials
Persi	stence and degradabil	ity		
Benz	edients: alkonium chloride: egradability	:		95.5 %
Bioa	ccumulative potential			
Benz Partit	edients: alkonium chloride: ion coefficient: n- iol/water	:	log Pow: 0.004 Remarks: Based	on data from similar materials
Mobi	lity in soil			
No da	ata available			
	r adverse effects ata available			

Disposal n	nethods
------------	---------

Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	 Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION


International Regulation

UNRTDG Not regulated as a dangerous good



ersion 2	Revision Date: 03/19/2015	MSDS Number: 36329-00003	Date of last issue: 02/10/2 Date of first issue: 12/11/2		
	egulated as a dangerou	ls good			
-	i-Code egulated as a dangerou	is good			
Trans	sport in bulk accordin	ig to Annex II of MAR	POL 73/78 and the IBC Co	de	
Not a	pplicable for product as	s supplied.			
Dome	estic regulation				
49 CF Not re	FR egulated as a dangerou	is good			
ECTION	15. REGULATORY IN	FORMATION			
EPCF	RA - Emergency Plan	ning and Community	Right-to-Know		
	CLA Reportable Quan	•			
This r	material does not conta	in any components wit	h a CERCLA RQ.		
	A 304 Extremely Haza material does not conta		eportable Quantity th a section 304 EHS RQ.		
SAR	A 311/312 Hazards	: Acute Health Ha	azard		
SAR	A 302		this material are subject to t SARA Title III, Section 302.	he reporting	
SAR	A 313	known CAS nun	es not contain any chemical nbers that exceed the thresh established by SARA Title II	old (De Minimi	
US S	tate Regulations				
Penn	sylvania Right To Kn	ow			
	Water		7732-18-5	90 - 100 9	
	2-Phenoxye	ethanol	122-99-6	0.1 - 1 %	
New	Jersey Right To Knov Water	v	7722 19 5	00 100 9	
	vvaler		7732-18-5	90 - 100 %	
Califo	ornia Prop 65	State of Californ	This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.		
The i	ngredients of this pro	oduct are reported in	the following inventories:		
AICS		: All ingredients li	sted or exempt.		






AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information



Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date : 03/19/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8