

**Super Shine**

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	11/28/2014	854394-00001	Date of first issue: 11/28/2014

---

**SECTION 1. IDENTIFICATION**

Product name : Super Shine

Product code : |

**Manufacturer or supplier's details**

Distributed by: 1st Ayd Corporation  
1325 Gateway Drive  
Elgin, IL 60124  
Phone: 847-622-0001

Emergency Response Number: 800-255-3924

**Recommended use of the chemical and restrictions on use**

Recommended use : Tire and Interior Dressing

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Eye irritation : Category 2A

Reproductive toxicity : Category 2

**GHS Label element**

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H319 Causes serious eye irritation.  
H361 Suspected of damaging fertility or the unborn child.Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing spray.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ protective clothing/ eye protection/

**Super Shine**

Version 1.0	Revision Date: 11/28/2014	MSDS Number: 854394-00001	Date of last issue: - Date of first issue: 11/28/2014
----------------	------------------------------	------------------------------	--

face protection.

**Response:**

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/attention.

P337 + P313 If eye irritation persists: Get medical advice/attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : Silicone emulsion

**Hazardous ingredients**

Chemical Name	CAS-No.	Concentration (%)
Alcohols, C11-15-secondary, Ethoxylated	84133-50-6	>= 1 - < 5
Octamethylcyclotetrasiloxane	556-67-2	>= 0.1 - < 1

**SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes. Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.

**Super Shine**

Version 1.0	Revision Date: 11/28/2014	MSDS Number: 854394-00001	Date of last issue: - Date of first issue: 11/28/2014
----------------	------------------------------	------------------------------	--

Get medical attention if symptoms occur.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.  
Suspected of damaging fertility or the unborn child.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.

Notes to physician : Treat symptomatically and supportively.

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Dry chemical  
Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Silicon oxides  
Formaldehyde

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice and personal protective equipment recommendations.

Environmental precautions : Discharge into the environment must be avoided.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.

**Super Shine**

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	11/28/2014	854394-00001	Date of first issue: 11/28/2014

Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
 For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.  
 Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.  
 Avoid inhalation of vapor or mist.  
 Do not swallow.  
 Do not get in eyes.  
 Handle in accordance with good industrial hygiene and safety practice.  
 Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.  
 Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Ingredients with workplace control parameters**

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Octamethylcyclotetrasiloxane	556-67-2	TWA	10 ppm	DCC OEL

**Hazardous components without workplace control parameters**

Ingredients	CAS-No.
Alcohols, C11-15-secondary, Ethoxylated	84133-50-6

**Super Shine**

Version 1.0	Revision Date: 11/28/2014	MSDS Number: 854394-00001	Date of last issue: - Date of first issue: 11/28/2014
----------------	------------------------------	------------------------------	--

- Engineering measures** : Processing may form hazardous compounds (see section 10).  
Ensure adequate ventilation, especially in confined areas.  
Minimize workplace exposure concentrations.
- Personal protective equipment**
- Respiratory protection** : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
- Hand protection**
- Material** : Impervious gloves
- Remarks** : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
- Eye protection** : Wear the following personal protective equipment:  
Safety goggles
- Skin and body protection** : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
- Hygiene measures** : Ensure that eye flushing systems and safety showers are located close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
These precautions are for room temperature handling. Use at elevated temperature or aerosol/spray applications may require added precautions.  
For further information regarding the use of silicones / organic oils in consumer aerosol applications, please refer to the guidance document regarding the use of these type of materials in consumer aerosol applications that has been developed by the silicone industry ([www.SEHSC.com](http://www.SEHSC.com)).

**Super Shine**

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	11/28/2014	854394-00001	Date of first issue: 11/28/2014

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: liquid
Color	: white
Odor	: slight
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: 100 °C
Flash point	: > 101 °C Method: closed cup
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 1
Solubility(ies) Water solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity Viscosity, dynamic	: < 1,000 mPa.s
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available

**Super Shine**

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	11/28/2014	854394-00001	Date of first issue: 11/28/2014

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.  
When heated to temperatures above 150 °C (300 °F) in the presence of air, product can form formaldehyde vapors. Safe handling conditions may be maintained by keeping vapor concentrations within the occupational exposure limit for formaldehyde.  
Formaldehyde may cause cancer. It is also toxic by inhalation, skin absorption and ingestion, corrosive to skin and eyes, and may cause skin sensitization and respiratory irritation.  
See OSHA formaldehyde standard, 29 CFR 1910.1048  
Hazardous decomposition products will be formed at elevated temperatures.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products  
Thermal decomposition : Formaldehyde

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate : > 10 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

**Ingredients:****Alcohols, C11-15-secondary, Ethoxylated:**

Acute oral toxicity : LD50 (Rat): > 412 mg/kg

**Super Shine**

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	11/28/2014	854394-00001	Date of first issue: 11/28/2014

---

Acute inhalation toxicity : LC50 (Rat): 1.06 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

**Octamethylcyclotetrasiloxane:**

Acute oral toxicity : LD50 (Rat): > 4,800 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Based on test data

Acute inhalation toxicity : LC50 (Rat): 2975 ppm  
Exposure time: 4 h  
Test atmosphere: vapor  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: Based on test data

Acute dermal toxicity : LD50 (Rabbit): > 2.5 ml/kg  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on test data

**Skin corrosion/irritation**

Not classified based on available information.

**Ingredients:**

**Alcohols, C11-15-secondary, Ethoxylated:** Result: Skin irritation

**Octamethylcyclotetrasiloxane:**

Species: Rabbit  
Result: No skin irritation  
Remarks: Based on test data

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Ingredients:**

**Alcohols, C11-15-secondary, Ethoxylated:** Result: Irreversible effects on the eye

**Octamethylcyclotetrasiloxane:**

Species: Rabbit  
Result: No eye irritation  
Remarks: Based on test data

**Respiratory or skin sensitization**

Skin sensitization: Not classified based on available information.  
Respiratory sensitization: Not classified based on available information.



**Super Shine**

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	11/28/2014	854394-00001	Date of first issue: 11/28/2014

**Ingredients:****Alcohols, C11-15-secondary, Ethoxylated:**

Routes of exposure: Skin contact

Result: negative

**Octamethylcyclotetrasiloxane:**

Assessment: Does not cause skin sensitization.

Test Type: Maximization Test (GPMT)

Species: Guinea pig

Remarks: No known sensitising effect. Based on test data

**Germ cell mutagenicity**

Not classified based on available information.

**Ingredients:****Octamethylcyclotetrasiloxane:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative
	Remarks: Based on test data
	: Test Type: Mutagenicity (in vitro mammalian cytogenetic test)
	Result: negative
	Remarks: Based on test data
Genotoxicity in vivo	: Test Type: Chromosome aberration test in vitro
	Result: negative
	Remarks: Based on test data
	: Test Type: In vitro sister chromatid exchange assay in mammalian cells
	Result: negative
	Remarks: Based on test data
Genotoxicity in vivo	: Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
	Result: negative
	Remarks: Based on test data
	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
	Test species: Rat
	Application Route: inhalation (vapor)
Genotoxicity in vivo	Result: negative
	Remarks: Based on test data
	Test Type: Rodent dominant lethal test (germ cell) (in vivo)
	Test species: Rat
	Application Route: Ingestion
	Result: negative
Remarks: Based on test data	

**Super Shine**

Version 1.0	Revision Date: 11/28/2014	MSDS Number: 854394-00001	Date of last issue: - Date of first issue: 11/28/2014
----------------	------------------------------	------------------------------	--

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

**Carcinogenicity**

Not classified based on available information.

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity**

Suspected of damaging fertility or the unborn

child. **Ingredients:**

**Octamethylcyclotetrasiloxane:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat, male and female  
Application Route: inhalation (vapor)  
Symptoms: Effects on fertility.  
Remarks: Based on test data

Effects on fetal development : Test Type: Prenatal development toxicity study (teratogenicity)  
Species: Rabbit  
Application Route: inhalation (vapor)  
Symptoms: No effects on fetal development.  
Remarks: Based on test data

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

Not classified based on available information.

**Ingredients:****Octamethylcyclotetrasiloxane:**

Routes of exposure: Ingestion

Assessment: No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Routes of exposure: inhalation (vapor)

Assessment: No significant health effects observed in animals at concentrations of 1 mg/l/6h/d or less.

**Super Shine**

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	11/28/2014	854394-00001	Date of first issue: 11/28/2014

---

Routes of exposure: Skin contact  
Assessment: No significant health effects observed in animals at concentrations of 200 mg/kg bw or less.

**Repeated dose toxicity****Ingredients:****Octamethylcyclotetrasiloxane:**

Species: Rat  
Application Route: Ingestion  
Remarks: Based on test data

Species: Rat  
Application Route: inhalation (vapor)  
Remarks: Based on test data

Species: Rabbit  
Application Route: Skin contact  
Remarks: Based on test data

**Aspiration toxicity**

Not classified based on available information.

**Further information****Ingredients:****Octamethylcyclotetrasiloxane:**

Remarks: Results from a 2 year repeated vapor inhalation exposure study to rats of octamethylcyclotetrasiloxane (D4) indicate effects (benign uterine adenomas) in the uterus of female animals. This finding occurred at the highest exposure dose (700 ppm) only. Studies to date have not demonstrated if these effects occur through pathways that are relevant to humans. Based on the available information on its potential to cause harm to human health, Health Canada, in a 2008 screening assessment, has concluded that octamethylcyclotetrasiloxane is not entering the environment in a quantity or concentration or under conditions that constitute or may constitute a danger in Canada to human life or health (<http://www.ec.gc.ca/ese-ees/default.asp?lang=En&n=2481B508-1>). Repeated exposure in rats to D4 resulted in protoporphyrin accumulation in the liver. Without knowledge of the specific mechanism leading to the protoporphyrin accumulation the relevance of this finding to humans is unknown.

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Ingredients:****Alcohols, C11-15-secondary, Ethoxylated:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 3.2 - 3.6 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 7.3 mg/l  
aquatic invertebrates Exposure time: 48 h

**Super Shine**

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	11/28/2014	854394-00001	Date of first issue: 11/28/2014

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): > 0.1 - 1 mg/l  
aquatic invertebrates  
(Chronic toxicity) Exposure time: 21 d  
Remarks: Based on data from similar materials

Toxicity to bacteria : EC50: > 1,000 mg/l  
Exposure time: 16 h

**Octamethylcyclotetrasiloxane:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.022 mg/l  
Exposure time: 96 h  
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other : EC50 (Daphnia sp.): > 0.015 mg/l  
aquatic invertebrates  
Exposure time: 48 h  
Remarks: No toxicity at the limit of solubility.

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): > 0.022 mg/l  
Exposure time: 96 h  
Remarks: No toxicity at the limit of solubility.

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.022 mg/l  
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): >= 0.0044 mg/l  
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates : NOEC (Daphnia sp.): > 0.0079 mg/l  
(Chronic toxicity) Exposure time: 21 d  
Remarks: No toxicity at the limit of solubility.

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to bacteria : IC50: > 10,000 mg/l  
Method: ISO 8192

Ecotoxicology Assessment  
Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

**Persistence and degradability****Ingredients:****Alcohols, C11-15-secondary, Ethoxylated:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 60 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

**Octamethylcyclotetrasiloxane:**

**Super Shine**

Version 1.0	Revision Date: 11/28/2014	MSDS Number: 854394-00001	Date of last issue: - Date of first issue: 11/28/2014
----------------	------------------------------	------------------------------	--

**Biodegradability** : Result: Not readily biodegradable.  
Biodegradation: 3.7 %  
Exposure time: 28 d  
Method: OECD Test Guideline 310

**Stability in water** : Degradation half life: 69.3 - 144 h (24.6 °C) pH: 7  
Method: OECD Test Guideline 111

**Bioaccumulative potential****Ingredients:****Octamethylcyclotetrasiloxane:**

Partition coefficient: n-octanol/water : log Pow: 6.48 (25.1 °C)

**Mobility in soil**

No data available

**Other adverse effects****Ingredients:****Octamethylcyclotetrasiloxane:**

Results of PBT and vPvB assessment : Remarks: Octamethylcyclotetrasiloxane (D4) meets the current REACH Annex XIII criteria for PBT and vPvB. In Canada, D4 has been assessed and deemed to meet the PiT criteria. However, D4 does not behave similarly to known PBT/vPvB substances. The weight of scientific evidence from field studies shows that D4 is not biomagnifying in aquatic and terrestrial food webs. D4 in air will degrade by reaction with naturally occurring hydroxyl radicals in the atmosphere. Any D4 in air that does not degrade by reaction with hydroxyl radicals is not expected to deposit from the air to water, to land, or to living organisms.

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Resource Conservation and Recovery Act (RCRA) : This product has been evaluated for RCRA characteristics and does not meet the criteria of hazardous waste if discarded in its purchased form.

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

**Super Shine**

Version 1.0	Revision Date: 11/28/2014	MSDS Number: 854394-00001	Date of last issue: - Date of first issue: 11/28/2014
----------------	------------------------------	------------------------------	--

**SECTION 14. TRANSPORT INFORMATION****International Regulation****UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****49 CFR**

Not regulated as a dangerous good

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know****CERCLA Reportable Quantity**

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Acetic acid	64-19-7	5000	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

**SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Acute Health Hazard  
Chronic Health Hazard

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

**US State Regulations****Pennsylvania Right To Know**

Dimethyl siloxane, hydroxy-terminated	70131-67-8	15 - 40 %
Water	7732-18-5	60 - 85 %
Acetic acid	64-19-7	0 - 0.1 %

**New Jersey Right To Know**

**Super Shine**

Version 1.0	Revision Date: 11/28/2014	MSDS Number: 854394-00001	Date of last issue: - Date of first issue: 11/28/2014
----------------	------------------------------	------------------------------	--

Dimethyl siloxane, hydroxy-terminated	70131-67-8	15 - 40 %
Water	7732-18-5	60 - 85 %
Alcohols, C11-15-secondary, Ethoxylated	84133-50-6	1 - 5 %

**California Prop 65**                      This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

**The ingredients of this product are reported in the following inventories:**

KECI    : All ingredients listed, exempt or notified.

AICS    : All ingredients listed or exempt.

IECSC    : All ingredients listed or exempt.

ENCS/ISHL                                      : Consult your local Superior Products office.

PICCS    : All ingredients listed or exempt.

DSL     : All chemical substances in this product comply with the CEPA 1999 and NSNR and are on or exempt from listing on the Canadian Domestic Substances List (DSL).

REACH     : All ingredients (pre-)registered or exempt.

TSCA    : All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.


NZIoC    : All ingredients listed or exempt.

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

**Super Shine**

Version	Revision Date:	MSDS Number:	Date of last issue: -
1.0	11/28/2014	854394-00001	Date of first issue: 11/28/2014

**SECTION 16. OTHER INFORMATION****Further information****NFPA:****Full text of other abbreviations**

DCC OEL

DCC OEL / TWA

: Time weighted average

Sources of key data used to compile the Material Safety Data Sheet

: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date

: 11/28/2014

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8

**HMIS III:**

0 = not significant, 1 = Slight, 2 = Moderate, 3 = High, 4 = Extreme, * = Chronic	
<b>HEALTH</b>	<b>2*</b>
<b>FLAMMABILITY</b>	<b>1</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>