SAFETY DATA SHEET



1.	Identification	

Product identifier	Odor Eliminator Enzyme Producing Bacteria		
Other means of identification			
Part Number	23301, 23305, 23332, 23335, 23355, 23394, 23395		
Recommended use	Enzymes		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name	1st Ayd Corporation		
Address	1325 Gateway Drive		
	Elgin, IL 60124		
Country	(847) 622-0001		
In Case of Emergency	1-800-535-5053 (Infotrac)		
2. Hazard(s) identification	Not classified.		
Physical hazards	Serious eye damage/eye irritation		
Health hazards	Sensitization, skin	Category 2A	
	Not classified.	Category 1	
Environmental hazards	Not classified.	5,	
OSHA defined hazards			
Label elements			
Signal word	Warning		
Hazard statement	Causes serious eye irritation. May cause an a	Ilergic skin reaction.	
Precautionary statement			
Prevention		nly after handling. Contaminated work clothing must e protection/face protection. Wear protective gloves.	
Response	Remove contact lenses, if present and easy to	s: Rinse cautiously with water for several minutes. o do. Continue rinsing. If skin irritation or rash ritation persists: Get medical advice/attention. Wash	
Storage	Store away from incompatible materials.		
Disposal	Dispose of contents/container in accordance	with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	None.		

3. Composition/information on ingredients

Mixtures

Chemical name C	Common name and synonyms	CAS number	%
Benzenesulfonic Acid, C10-16-alkyl Derivatives, Sodium Salts		68081-81-2	1 - 5
Alcohols, C6-12, Ethoxylated Propoxylated		689374-66-6	1 - 2
Cinnamic Aldehyde		104-55-2	0.1 - 0.2
Actorial name: Oder Eliminator Enzyme Dred	lucion Destado		

Chemical name	Common name and synonyms	CAS number	% Item 66
Ethylene Glycol Monobutyl Ethe)r	111-76-2	0.1 - 0.2
Tetrasodium EDTA		64-02-8	0.1 - 0.2
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptoms	s develop or persist.	
Skin contact	Remove contaminated clothing immediately an eczema or other skin disorders: Seek medical		
Eye contact	Immediately flush eyes with plenty of water for present and easy to do. Continue rinsing. Get		
Ingestion	Rinse mouth. Get medical attention if sympton	ns occur.	
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include s vision. May cause an allergic skin reaction. De		elling, and blurred
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and trea Symptoms may be delayed.	at symptomatically. Keep victi	m under observation.
General information	Ensure that medical personnel are aware of th protect themselves. Wash contaminated clothing		ke precautions to
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbo	on dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this	s will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be	e formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full pro	otective clothing must be wor	n in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do se	o without risk.	
Specific methods	Use standard firefighting procedures and cons	sider the hazards of other invo	olved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep peo appropriate protective equipment and clothing not touch damaged containers or spilled mate Ensure adequate ventilation. Local authorities contained. For personal protection, see section	during clean-up. Avoid breat rial unless wearing appropria should be advised if significa	hing mist or vapor. Do te protective clothing.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is possible. Absorb in vermiculite, dry sand or earecovery, flush area with water.		
	Small Spills: Wipe up with absorbent material remove residual contamination.	(e.g. cloth, fleece). Clean sur	face thoroughly to
-	Never return spills to original containers for re-	•	section 13 of the SDS
Environmental precautions	Avoid discharge into drains, water courses or o	onto the ground.	
7. Handling and storage			
Precautions for safe handling	Avoid breathing mist or vapor. Avoid contact w exposure. Provide adequate ventilation. Wear good industrial hygiene practices.		
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store of the SDS).	away from incompatible mat	erials (see Section 10
8. Exposure controls/perso	onal protection		

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Тур	e	Va	lue
Ethylene glycol monobutyl ether (CAS 111-76-2)	PEL	-	24	0 mg/m3
			50	ppm
US. ACGIH Threshold Lir				
Components	Тур	e	Va	lue
Ethylene glycol monobutyl ether (CAS 111-76-2)	TW	A	20	ppm
US. NIOSH: Pocket Guide Components	e to Chemical Hazards Typ		Va	lue
Ethylene glycol monobutyl	TW			mg/m3
ether (CAS 111-76-2)	1007		24	ing/inc
			5 p	ppm
iological limit values				
ACGIH Biological Expose Components	ure Indices Value	Determinant	Specimen	Sampling Time
· · · · · · · · · · · · · · · · · · ·			•	*
Ethylene glycol monobutyl ether (CAS 111-76-2)	200 mg/g	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in urine	*
* - For sampling details, pl	ease see the source do			
cposure guidelines				
US - California OELs: Ski	n designation			
Ethylene Glycol Mono US - Minnesota Haz Subs	butyl Ether (CAS 111-7 s: Skin designation ap		e absorbed throu	gh the skin.
Ethylene Glycol Mono US - Tennessee OELs: Sl	butyl Ether (CAS 111-7) kin designation	6-2) Skin d	esignation applie	·S.
Ethylene Glycol Mono US NIOSH Pocket Guide	butyl Ether (CAS 111-7 to Chemical Hazards:		e absorbed throu	gh the skin.
Ethylene Glycol Mono US. OSHA Table Z-1 Limi	butyl Ether (CAS 111-7 ts for Air Contaminan		e absorbed throu 100)	gh the skin.
Ethylene Glycol Mono	butyl Ether (CAS 111-7	6-2) Can be	e absorbed throu	gh the skin.
ppropriate engineering ontrols	should be matched or other engineerir	d to conditions. If ap	plicable, use pro ain airborne leve	nour) should be used. Ventilation rates cess enclosures, local exhaust ventilation Is below recommended exposure limits. If rborne levels to an acceptable level. Provi
dividual protection measur				
Eye/face protection	Wear safety glass	es with side shields	(or goggles).	
Skin protection Hand protection	Wear appropriate	chemical resistant g	loves.	
Other	Wear appropriate	chemical resistant c	lothing. Use of a	n impervious apron is recommended.
Respiratory protection	In case of insuffici	ent ventilation, wear	r suitable respirat	tory equipment.
Thermal hazards		thermal protective c	-	
eneral hygiene Insiderations	and before eating,	drinking, and/or sm	oking. Routinely	h as washing after handling the material wash work clothing and protective rk clothing should not be allowed out of th
Physical and chemica	al properties			
opearance				
pearance				

Physical state	Liquid.
Form	Liquid.
Color	White.
Odor	Neutra Gamma

Odor threshold	Not available.	Item 663
рН	7.7	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	212 °F (100 °C)	
Flash point	Not available.	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or exp	losive limits	
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	
Vapor pressure	Not available.	
Vapor density	> 1 (air = 1)	
Relative density	Not available.	
Solubility(ies)		
Solubility (water)	Completely soluble	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Other information		
Explosive properties	Not explosive.	
Oxidizing properties	Not oxidizing.	
Specific gravity	1.002	
10. Stability and reactivity		
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and tra	nsport.

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	May cause an allergic skin reaction.
Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological ef	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Dermatitis. Rash.

```
Acute toxicity
```

Not known.

Components	Species		Test Results	Item 66
Cinnamic Aldehyde (CAS 104-55-	2)			
<u>Acute</u>				
Dermal				
LD50	Rabbit		620 mg/kg	
Ethylene Glycol Monobutyl Ether (CAS 111-76-2)			
Acute				
Dermal	Debbit		100	
LD50	Rabbit		400 mg/kg	
Oral LD50	Rat		520 2800 ma/ka	
			530 - 2800 mg/kg	
Tetrasodium EDTA (CAS 64-02-8)				
<u>Acute</u> Oral				
LD50	Rat		1658 mg/kg	
			0 0	
Skin corrosion/irritation	Prolonged skin contact may		1.	
Serious eye damage/eye rritation	Causes serious eye irritatior	I.		
Respiratory or skin sensitizatior	n			
Respiratory sensitization	Not a respiratory sensitizer.			
Skin sensitization	May cause an allergic skin r	eaction.		
Germ cell mutagenicity	No data available to indicate		nts present at greater thar	0.1% are
·····;	mutagenic or genotoxic.	, , ,		
Carcinogenicity	Not classifiable as to carcine	ogenicity to humans.		
ACGIH Carcinogens				
Ethylene Glycol Monobut	yl Ether (CAS 111-76-2)		carcinogen with unknown	relevance to
IARC Monographs. Overall I	Evaluation of Carcinogenicit	humans.		
Ethylene Glycol Monobut	-	-	o carcinogenicity to human	S
OSHA Specifically Regulate				
Not regulated.				
US. National Toxicology Pro	gram (NTP) Report on Carc	inogens		
Not listed.				
Reproductive toxicity	This product is not expected	to cause reproductive or	developmental effects.	
Specific target organ toxicity - single exposure	Not classified.			
Specific target organ toxicity - repeated exposure	Not classified.			
Aspiration hazard	Not an aspiration hazard.			
Chronic effects	Prolonged inhalation may be	e harmful.		
12. Ecological information	I			
Ecotoxicity	The product is not classified	as environmentally hazar	rdous. However. this does	not exclude the
	possibility that large or frequ			
Components	Species		Test Results	
Ethylene Glycol Monobutyl Et	her (CAS 111-76-2)			
Aquatic				
Fish	LC50 Inland silvers	side (Menidia beryllina)	1250 mg/l, 96 hours	
Tetrasodium EDTA (CAS 64-0 Aquatic	02-8)			
-	LC50 Bluegill (Lep	omis macrochirus)	472 - 500 mg/l, 96 hou	rs
	5 . 1	,	5 /	

Partition coefficient n-octanol	/ water (log Kow)
---------------------------------	-------------------

Ethylene Glycol Monobutyl Ether

0.83

	6.66
Mobility in soil	No data available.
Other adverse effects	None known.
13. Disposal consideration	ns
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
14. Transport information	
DOT	
Not regulated as dangerous g	joods.
ΙΑΤΑ	
Not regulated as dangerous g	joods.
IMDG Not regulated as dangerous of	shoods
Transport in bulk according to	Not established.
Annex II of MARPOL 73/78 and the IBC Code	
15. Regulatory information	n
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)
Not regulated. CERCLA Hazardous Substa	nce List (40 CFR 302.4)
Not listed. SARA 304 Emergency relea	se notification
Not regulated.	
	d Substances (29 CFR 1910.1001-1052)
Not regulated.	
Superfund Amendments and Re SARA 302 Extremely hazard	eauthorization Act of 1986 (SARA) dous substance
Not listed.	
SARA 311/312 Hazardous chemical	Yes
Classified hazard categories	Serious eye damage or eye irritation Respiratory or skin sensitization
SARA 313 (TRI reporting) Not regulated.	
Other federal regulations	
	112 Hazardous Air Pollutants (HAPs) List
	112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.	
Safe Drinking Water Act (SDWA)	Not regulated.
Material name: Oden Elineinaten Ennu	

Cinnamic Aldehyde (CAS 104-55-2)

Low priority

US state regulations

US. New Jersey Worker and Community Right-to-Know Act

Ethylene Glycol Monobutyl Ether (CAS 111-76-2)

California Proposition 65



WARNING: California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Ethylene Glycol Monobutyl Ether (CAS 111-76-2)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Toxic Chemical Substances (TCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	01-26-2018
Version #	01
Disclaimer	ITW Pro Brands cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.