FIRST AYD ALUM STAINLESS STEEL CLNR

Emergency Phone: 800-255-3924

#990 Page 1 of 7

Version 1.0020 Revision Date 02/20/2015 Print Date 02/24/2015

Chemical product and company identification Section 1.

Product Name:

FIRST AYD ALUM STAINLESS STEEL CLNR

Product use:

Aluminium and stainless steel cleaner

Contact Information: FIRST AYD CORP

1325 GATEWAY DRIVE

ELGIN, IL

60124

847.622.0001

Section 2. Hazards identification

GHS Classification:

Skin corrosion/irritation(Category 1A, 1B, 1C) Serious eye damage/eye irritation(Category 1) Acute toxicity, inhalation(Category 1,2)
Acute toxicity, dermal(Category 1, 2)
Acute toxicity, oral(Category 1, 2) Hazardous to the aquatic environment, long-term hazard(Category 3) Serious eye damage/eye irritation(Category 2A) Acute toxicity, inhalation(Category 4)

Pictogram(s):



Signal Word:

DANGER

Hazard Statements:

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H330 Fatal if inhaled

H310 Fatal in contact with skin H300 Fatal if swallowed

H412 Harmful to aquatic life with long lasting effects

H319 Causes serious eye irritation

H332 Harmful if inhaled

Precautionary Statement(s):

P260 Do not breathe dust/fumes/gas/mist/vapours/spray

P262 Do not get in eyes, on skin, or on clothing

P264 Wash ... thoroughly after handling

P270 Do not eat, drink or smoke when using this product

P273 Avoid release to the environment

P280 Wear protective gloves/protective clothing/eye protection/face protection

P284 Wear respiratory protection P310 Immediately call a POISON CENTER or doctor/physician

P363 Wash contaminated clothing before reuse

P501 Dispose of contents/container in accordance with federal, state and/or local regulations

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P301+312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303+361+353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing

FIRST AYD ALUM STAINLESS STEEL CLNR

#990 Page 2 of 7

Version Revision Date Print Date

1.0020 02/20/2015 02/24/2015

Section 3. Composition/information on ingredients

CAS number % Less Than Hydrofluoric acid 7664-39-3 6.0000 Inorganic Acids 7664-93-9 60.0000

The chemical identity of some or all components is confidential business information (trade secret) and is being withheld as permitted by 29CFR19191200 (i). No other ingredients known to be hazardous.

Section 4. First aid measures

Corrosive to the eyes. Symptoms of redness, pain, blurred vision, and Eye contact:

permanent eye damage may occur.

Skin contact: Take off contaminated clothing and shoes immediately. Wash off with soap

and plenty of water. Corrosive to the skin. Skin contact causes serious

skin burn which may not be immediately be apparent or painful.

Inhalation: If breathed in, move person into fresh air. If not breathing, give

artificial respiration. Consult a physician.

Do NOT induce vomiting. May cause sore throat, abdominal pain, diarrhea, vomiting, severe burns of the digestive tract, and kidney dysfunction. Ingestion:

Rinse mouth out with water. Consult a physician.

General: Move out of dangerous area. Consult a physician. Show this safety sheet to

the doctor in attendance. Consult a physician. Show this safety data sheet to the doctor in

attendance. Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the flouride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for

tissue injury from increased pressure. Absorption can readily occur through the subungual areas & should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tables or Milk of

Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesia & cardiac arrhythmias should be monitored for, since they can

occur after exposure. Move out of dangerous area.

See Section 11 for exposure symptoms.

FIRST AYD ALUM STAINLESS STEEL CLNR

#990 Page 3 of 7

Version 1.0020
Revision Date 02/20/2015
Print Date 02/24/2015

Section 5. Fire-fighting measures

Flammability:

In a fire or if heated, a pressure increase will occur and the container

may burst.

Extinguishing Media:

Use an extinguishing agent suitable for the surrounding fire.

Protective Equipment:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with full face-piece operated in

positve pressure mode.

Additional Information:

Thermal decomposition products-carbon monoxide, sulfur oxides, metal oxide/

oxides, halogenated compounds.

Section 6. Accidental release measures

Personal Precautions:

Use personal protective equipment. Avoid breathing vapours, mist or gas.

Ensure adequate ventilation. Evacuate personnel to save areas.

For personal protection see section 8.

Environmental:

Do not let product enter drains.

Containment/Cleanup:

Soak up with an inert absorbant material and dispose of as a hazardous

waste. Keep in suitable, closed containers for disposal.

Section 7. Handling and storage

Safe Handling:

Wear proper personel protective equipment. Avoid breathing vapour or mist.

Safe Storage:

Keep container tightly closed in a dry well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent

leakage.

FIRST AYD ALUM STAINLESS STEEL CLNR

#990 Page 4 of 7

Version 1,0020 02/20/2015 Revision Date 02/24/2015 Print Date

Exposure controls/personal protection Section 8.

Apply technical measures to comply with occupational exposure limits. Engineering Controls:

Mechanical ventilation, eyewash stations, showers where necessary.

Eye Protection: Safety eyewear/face shield complying with an approved standard should be

used when a risk assessment indicates this is necessary to avoid exposure

to liquid splashes, mists or dusts.

Respiratory Protection: Use a properly fitted air-purifying or air-fed respirator complying with an

approved standard if a risk assessment indicates necessity. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product & the safe working limits of the chosen respirator.

Hand Protection: Chemical resistant, impervious gloves complying with an approved standard

should be worn at all times when handling chemical products if a risk

assessment indicates this is necessary.

Personal protective equipment for the body should be selected based on the Skin Protection:

task being performed and the risks involved and should be approved by a specialist before handling this product.

COMPONENT ACGIH TWA OSHA/NIOSH OSHA/ACGHI STEL ppm STET. ppm mg/m3

Hydrofluoric acid 0.5 Inorganic Acids 0.2

Section 9. Physical and chemical properties

Physical State: Liquid Color: Blue

Odor: Acid Odor Threshold: N/E pH:

Melting Point: N/E Freezing Point: N/E Boiling Point: N/E

Flash Point: Nonflammable

<1

Evaporation Rate: N/E

Flammability: Nonflammable

Upper Explosive Limits: N/A Lower Explosive Limits: N/A Vapor Pressure: N/E Vapor Density: N/E Relative Density: N/E Solubility: Complete

Partition coefficient: N/E Auto-Ignition Temperature: N/E Decompostion Temperature: Specific Gravity: 1.290 % Volatile: N/E

FIRST AYD ALUM STAINLESS STEEL CLNR

#990 Page 5 of 7

Version Revision Date Print Date

02/20/2015 02/24/2015

1.0020

Section 10. Stability and reactivity

Reactivity:

Reactive with matals

Chemical stability:

Stable under normal conditions.

Possibility of

hazardous reactions:

None under normal conditions.

Conditions to avoid:

AVOID HEAT and open flames

Incompatible materials:

STRONG OXIDIZERS, ALKLAIS, reacts with metals producing flammable hydrogen

gas which can form explosive mixtures with air

Hazardous Decomposition

Products:

Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

Section 11.	Toxicological	information		
Routes of entry:	Inhalation	Absorption	Ingestion	

Acute Exposure Hazards:

Eye contact:

Severe eye irritation, burns

Dermal:

Skin irritation, can cause burns with contact

Oral:

Corrosive to mucous membranes.

Inhalation:

MIST MAY BE MILD TO STRONG IRRITANT, CORROSVE.

COMPONENT

Result

Species

Dose

Exposure

FIRST AYD ALUM STAINLESS STEEL CLNR

#990 Page 6 of 7

Version 1.0020 Revision Date 02/20/2015 Print Date 02/24/2015

Section 12. Ecological information

Ecotoxicity:

No data available.

Persistance & degradability: No data available.

Bioaccumulative potential:

No data available.

Mobility in soil:

No data available.

Other adverse effects:

No data available.

Component

Result

Species

Dose

Exposure

Section 13. Disposal considerations

Material that cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Processing, use or contamination of this product may change the waste management options. Waste generators must decide if discarded material is a hazardous waste. State and local disposal regulations may differ from federal disposal definitions. Dispose of container and unused contents in accordance with federal, state and local requirements.

Section 14. Transport information

DOT (US)

Hazard Class:

8

UN Number:

UN1760

Packing Group:

II

Shipping Name:

(HYDROFLUORIC ACID, SULFURIC ACID)

Section 15. Regulatory information

SARA 313 Components

Hydrofluoric acid

Inorganic Acids

CAS No.

% Less Than

7664-39-3 7664-93-9

6.0000 60.0000

California Prop. 65 Components

CAS No.

% Less Than

FIRST AYD ALUM STAINLESS STEEL CLNR

#990 Page 7 of 7

Version 1.0020
Revision Date 02/20/2015
Print Date 02/24/2015

Section 16. Other information


Hazardous Material Information System (U.S.A.)

Health Hazard	4
Fire Hazard	0
Reactivity	0
Personal Protection	H

Caution: HMIS ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks and 4 representing significant hazards or risks.

	PERSONAL PROTECTION INDEX
A	Safety Glasses
В	Safety Glasses, Gloves
C	Safety Glasses, Gloves, Apron
D	Face Shield, Gloves, Apron
E	Safety Glasses, Gloves, Dust Respirator
F	Safety Glasses, Gloves, Apron, Dust Respirator
G	Safety Glasses, Gloves, Vapor Respirator
H	Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
I	Safety Glasses, Gloves, Dust & Vapor Respirator
J	Splash Goggles, Gloves, Apron, Dust & Vapor Respirator
K	Airline Hood or Mask, Gloves, Full Suit, Boots
X	Consult your supervisor for special handling directions

National Fire Protection Association (U.S.A.)



NFPA warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals.

Information on this form is furnished solely for the purpose of compliance with the Occupational Safety and Health Act of 1970 and shall not be used for any other purpose. Use or dissemination of all or any part of this information can be grounds for legal action.

To the best of our knowledge, the information provided in this Safety Data Sheet is accurate as of the date of its issue. However, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE. The information this Safety Data Sheet contains is being given for safety guidance purposes and relates only to the specific material and uses described in it. This information does not necessarily apply to that material when combined with other material(s) or when used otherwise than as described herein.

In all cases, it is the responsibility of the user to determine the applicability of such information and recommendations and the suitability of any product for its own particular purpose. All materials may represent unknown hazards and should be used with caution.