

732B3



732B8



732B11



Silicone Sealants & Instant Gaskets BEST SELLER!

Unaffected by weather, temperature extremes, chemicals or aging. Superior performance in severe operating conditions. 100% silicone rubber. Oxygen sensor safe and hot oil and glycol resistant. Not recommended for use with continuous immersion in gasoline or head gasket applications.

Use on: Oil/water pumps, oil pans; thermostats; timing case covers, valve covers; transmission pans; auto trim and gear boxes.

Use as: Industrial sealant; caulk or flexible adhesive; form in-place gaskets; weatherproof for electrical boxes; sealant from dust; electrical insulation.

732BLK3



732BLK8



732BLK11



No	Name	Color	Description	Size	Qty/Case	Sold By
732B3	Silicone Sealants & Instant Gaskets	Blue	Instant Gasket	3 oz. squeeze tube	12/case	Each
732B8	Silicone Sealants & Instant Gaskets	Blue	Instant Gasket	8 oz. "cheese whiz" can	12/case	Each
732B11	Silicone Sealants & Instant Gaskets	Blue	Instant Gasket	10.1 oz. caulk tube	12/case	Each
732BLK3	Silicone Sealants & Instant Gaskets	Black	Silicone Sealant	3 oz. squeeze tube	12/case	Each
732BLK8	Silicone Sealants & Instant Gaskets	Black	Silicone Sealant	8 oz. "cheese whiz" can	12/case	Each
732BLK11	Silicone Sealants & Instant Gaskets	Black	Silicone Sealant	10.1 oz. caulk tube	12/case	Each
732C3	Silicone Sealants & Instant Gaskets	Clear	Silicone Sealant	3 oz. squeeze tube	12/case	Each
732C8	Silicone Sealants & Instant Gaskets	Clear	Silicone Sealant	8 oz. "cheese whiz" can	12/case	Each
732C11	Silicone Sealants & Instant Gaskets	Clear	Silicone Sealant	10.1 oz. caulk tube	12/case	Each
732R3	Silicone Sealants & Instant Gaskets	Red	Hi-Temp Instant Gasket	3 oz. squeeze tube	12/case	Each
732R8	Silicone Sealants & Instant Gaskets	Red	Hi-Temp Instant Gasket	8 oz. "cheese whiz" can	12/case	Each
732R11	Silicone Sealants & Instant Gaskets	Red	Hi-Temp Instant Gasket	10.1 oz. caulk tube	12/case	Each

732C3



732C8



732C11



732R3



732R8



732R11



Flex & Firm Seam and Joint Sealer

Flexible seam and joint sealer. Sandable and flexible for unibody cars. Will not set up in the tube. In just 8-10 minutes you can feather it out (smooth by hand). Sets fast. Paintable in 30 minute. Will not shrink or crack. For use in any exposed joint or seam. Can be primed and painted over after a skin has formed. Natural in color. Excellent adhesion to bare, chemically treated or painted metal, glass, wood or plastic. Do not prime; color coat only. Will not stain painted surfaces. Cures completely in 72 hours. Never becomes hard or brittle. Will not crack or craze. Shrinkage is negligible.

No	Name	Size	Qty/Case	Sold By
700	Flex & Firm Seam and Joint Sealer	11 oz. caulk tube	12	Each



700

GTX Multi-Seal Trailer Sealant

This product is used to repair truck trailers. When repairs are made on trailer panels, they are attached to the frame of the trailer. #703 is used to provide an airtight seal for the repaired panel.

No	Name	Color	Size	Qty/Case	Sold By
703	GTX Multi-Seal Trailer Sealant	White	10.1 oz. caulk tube	12	Each
703GRAY	GTX Multi-Seal Trailer Sealant Best Seller!	Gray	10.1 oz. caulk tube	12	Each



703

703GRAY



724

Muffler Cement

For use in muffler repair shops. #724 Muffler Cement is applied to where muffler pipes are joined together to insure there will be no exhaust leaks after the repair is made. We currently carry the Yale brand which is recognized as a superior muffler cement (subject to change).

No	Name	Size	Qty/Case	Sold By
724	Muffler Cement	16 oz. squeeze tube	12	Each

Permatex Ultra Grey RTV

Designed especially for high-torque and high vibration applications, like those common in import engines, this premium RTV gasket maker exceeds manufacturers' performance requirements. Noncorrosive and low-odor. Maximum vibration resistance, with outstanding resistance to oils, cooling and shop fluids. Guaranteed not to leak. Temperature range -65°F to 500°F (-54°C to 260°C) intermittent.

No	Name	Size	Qty/Case	Sold By
P732G3	Permatex Ultra Grey RTV	3.5 oz. squeeze tube	12	Each
732G13	Permatex Ultra Grey RTV Best Seller!	13 oz. caulk tube	12	Each



P732G3

732G13

Order Now: (847) 622-0001

1stAyd.com





DynaGrey RTV

Same great specifications as the Permatex Ultra Grey in various sizes for your needs.

No	Name	Size	Qty/Case	Sold By
732G3	DynaGrey RTV	3.8 oz. squeeze tube	12	Each
732G8	DynaGrey RTV Best Seller!	8 oz. "cheese whiz" can	12	Each

DynaBlack Fast Cure Gasket Maker

Dynatex fast cure Gasket Maker has a temperature range from -85° to 500° F. It remain flexible though thermal cycling, is resistant to oil, water and anti-freeze. Gasket maker is non-corrosive, low odor and fast curing. Use on valve covers, oil pumps and pans, water pumps, thermostats, etc. Competes with Permatex's Right Stuff.



No	Name	Size	Qty/Case	Sold By
N732BLK3	DynaBlack Fast Cure Gasket Maker	3.8 oz. squeeze tube	12	Each
N732BLK9	DynaBlack Fast Cure Gasket Maker	8 oz. "cheese whiz" can	12	Each

Permatex Right Stuff Gasket Maker

The Right Stuff Gasket Maker seals instantly. Forms a heavy bodied, reliable, long-lasting silicone gasket. Superior flexibility and adhesion accommodates joint movement. Excellent oil resistance. Oxygen sensor safe.



No	Name	Size	Qty/Case	Sold By
P732-5	Permatex Right Stuff Gasket Maker Best Seller!	5 oz. mini-cartridge	6	Each
P732-10	Permatex Right Stuff Gasket Maker	10 oz. cartridge	6	Each

DynaPlus Fast Cure Gasket Maker

DynaPlus Fast Cure Gasket Maker is a "thicker" elastomeric rubber used by technicians to replace cut gaskets. DynaPlus is manufactured to meet or exceed OEM specs as well as being sensor safe. It was uniquely formulated to provide quicker cure times and excellent adhesion. Provides increased resistance to oil, water, anti-freeze, transmission fluid and many other shop fluids. It offers greater gasket "blowout" resistance and problems due to vibration. Use on valve covers, transmission pans, oil pump flanges, timing gear and differential covers and much more. Temperature resistant up to 500°F (260°C).

No	Size	Qty/Case	Sold By
733A	6.75 can	6	Each